INDEX TO VOLUME 47

AUTHORS INDEX

ABHYANKAR, R. N. (See Rahman, Abhyankar, and Ali), 394

ALBRIGHT, LOUIS F., AND BROWN, FRANK J. Acute myocardial infarction asso-ciated with acute porphyria, 108

ALI, TAHIR. (Se Ali), 394 (See Rahman, Abhyankar, and

ALLENSTEIN, B. J. (See Elek, Allenstein, Griffith, Cosby, and Levinson), 369

See Elek, Allenstein, Kornbluth, Griffith, and Levinson), 477
, IVAN DE. (See Tranchesi, Carral, Amorim, and Peñaloza), 664 AMORIM, IVAN DE.

ANDERSON, WILLIAM H., URBACH, KARL, DOERNER, ALEXANDER A. Ballistic respiratory variation as measured by the electromagnetic ballistocardiograph, 15

R

BAHN, ROBERT C., SANES, SAMUEL, JUVELIER, BERNARD W., AND URBAN, STANLEY T. Presubclavian coarctation of the aorta, 444

BAILEY, CHARLES P. (Sand Bailey), 527 (See Goldberg, Bakst,

—. (See Trace, Bailey, and Wendkos), 613 BAKER, LYLE A. (See Kaplan, Puestow, Baker,

and Kruger), 824
BAKKEN, EARL E. (See Simonson, Schmitt, Dahl, Fry, and Bakken), 122

BAKST, ALVIN A. (See Goldberg, Bakst, and Bailey), 527

BARSOUM, G. S., AND KENAWY, M. R. The spasmolytic action of "soluble khellin-Nokhel," 297

BIÖRCK, GUNNAR. (See Thorson Bindle)

(See Thorson, Biörck, BIÖRCK, GUNNAR. Björkman, and Waldenström), 795

BJÖRK, VIKING OLOV, MALMSTRÖM, GUNNAR, AND UGGLA, LARS G. Left atrial and pulmonary "capillary" pressure curves during Valsalva's experiment, 635

Björkman, Gunnar. (See Thorson, Biörck, Björkman, and Waldenström), 795 BLAKE, H. A. (See Goyette, Farinacci, Forsee,

and Blake), 645
Boikan, William S., and Gunnar, Rolf M. Aberrant conduction in supraventricular extrasystoles eliminated by exer-

cise, 626 BOYD, G. S. (See Oliver and Boyd), 348 BRIGGS, JOHN FRANCIS, AND HOLT, JOHN. Prolonged survival following perforation of the interventricular septum as a

result of a myocardial infarction, 926 Brown, Frank J. (See Albright and Brown), 108

BRUCE, ROBERT A., AND HAGEN, JOHN M. V. Anomaly of total pulmonary venous connection, 785

BUCKINGHAM, WILLIAM B. (See Sutton, Sutton, Hinkens, Buckingham, and Rondinelli), 67

Burch, G. E., and Romney, R. B. Functional anatomy and "throttle valve" action of the pulmonary veins, 58

(See Mann and BURCHELL, HOWARD B. Burchell), 504

CACCESE, A. (See Kelly, Caccese, Ortiz-Marquez, and Taubman), 30

RAFAEL. (See Tranchesi, Carral, Amorim, and Peñaloza), 664

Chapman, Don W. (See Livesay, Moyer, and Chapman), 745

CHAPMAN, JAMES E. (See Woldow, Chapman, and Evans), 568

CHENG, JOHN T. O. (See Swisher, Wedell, Cheng, Sutton, and Sutton), 449

CISNEROS, FERNANDO. (See Puech, Esclavissat, Sodi-Pallares and Cisneros), 174 COHN, ISIDOR. (See Richards and Cohn), 313

CORDEIRO, ARSÉNIO. Right ventricular stenosis of the Bernheim type in a case of septal infarction, 112

RICHARD S. (See Elek, Allenstein, Griffith, Cosby, and Levinson), 369

DAHL, JAMES. (See Simonson, Schmitt, Dahl, Fry, and Bakken), 122

, CLARENCE. (See Wakim, Denton, and Essex), 77 DENTON, CLARENCE.

DICKERSON, ROBERT B. Performance of angiocardiography and cardiac catheterization as a combined procedure, 252

DIMOND, E. GREY, AND JONES, T. REID. Pulmonary artery thrombosis simulating pulmonic valve stenosis with patent foramen ovale, 105

Doane, John H., Jr. (See Shuman, Learner, and Doane), 737

DOERNER, ALEXANDER A. (See Anderson, Urbach, and Doerner), 15

DORBECKER, NARNO. (See Neri, Villagordoa, Moros, and Dorbecker), 818

Dressler, William. (See Roesler and Dressler), 520

DUNN, JAMES J., SARRELL, WARREN, FRANKLIN, R. B. The Wolff-Parkinson-White syndrome associated with paroxysmal ventricular tachycardia, 462

D., AND VAN DER TWEEL, L. H. DURRER, Spread of activation in the left ventricular wall of the dog. II, 192

ELEK, STEPHEN R., ALLENSTEIN, B. J., GRIF-FITH, GEORGE C., COSBY, RICHARD S., AND LEVINSON, DAVID C. A correlation of the spatial vectorcardiogram with right ventricular hypertrophy,

—, KORNBLUTH, A. W., GRIFFITH, GEORGE C., AND LEVINSON, DAVID C. The spatial vectorcardiogram in myocardial infarction typified by prominent R waves in leads aV_R and V₁, 477

ESCLAVISSAT, MICHEL. (See Puech, Esclavissat, Sodi-Pallares, and Cisneros), 174
ESSELLIER, A. F. (See Löffler, Essellier, and Essellier, A. F. (See Forster), 898

ESSEX, HIRAM E. (See Wakim, Denton, and ESSEX), 77
EVANS, JOHN M. (See Woldow, Chapman, and

Evans), 568

FALHOLT, WALTHER. (See Gøtzsche and Falholt), 587 Farinacci, C. J. ((See Goyette, Farinacci, For-

see, and Blake), 645 FORSEE, J. H. (See Goyette, Farinacci, Forsee,

and Blake), 645 FORSTER, G. (See Löffler, Essellier, and Fors-

ter), 898 FRANK, ERNEST. The image surface of a homo-

geneous torso, 757

Franklin, R. B. (See Dunn, Sarrell, and Franklin), 462 (See Morris and Franklin), 919

FRY, DONALD. (See Simonson, Schmitt, Dahl, Fry, and Bakken), 122

Gear, J. H. (See van Lingen, Gear, Whidborne, and Lister), 560 GECKELER, GEORGE D. (See Likoff, Geckeler,

and Gregory), 619 GEDDES, L. A. (See Sekelj, Geddes, and Hoff),

GIDDINGS, LANE W. (See Lehmus, Sundquist, and Giddings), 470

GILLIS, J. G., AND WALTERS, M. B. Acute isolated myocarditis simulating coronary occlusion, 117

GLOTZER, Sol. Electrocardiographic changes during sensitivity reaction to peni-cillin, 300

GOLBEY, MAURICE. (See Scherf and Golbey), 928

GOLDBERG, HARRY, BAKST, ALVIN A., AND BAILEY, CHARLES P. The dynamics of aortic valvular disease, 527

GØTZSCHE, HENNING, AND FALHOLT, WALTHER. Ebstein's anomaly of the tricuspid valve, 587

GOYETTE, E. M., FARINACCI, C. J., FORSEE, J. H., AND BLAKE, H. A. The clini-copathologic correlation of lung biopsies in mitral stenosis, 645

GRAY, FRANK D., JR., AND GRAY, FRIEDA G.
The effect of lanatoside C on the circulatory and ventilatory changes of chronic rheumatic heart disease with mitral stenosis, 282

K

Kı

Kı

Ke

K

Ki

LA

LA

LE

LE

LE

LII

LE

LII

LIS

LIV

Lö

Lo

Lo

Lo

GRAY, FRIEDA G. (See Gray and Gray), 282
GREGORY, JOHN E. (See Likoff, Geckeler, and
Gregory), 619
GRIFFITH, GEORGE C. (See Elek, Allenstein,
Griffith, Cosby, and Levinson), 369

(See Flek, Allenstein, Kornbluth, Grife (See Elek, Allenstein, Kornbluth, Griffith, and Levinson), 477

GROSS, DESIDERIO. The duration of the T wave and its relation to the cardiac rate in healthy adults, 514

GUNNAR, ROLF M. (See Boikan and Gunnar). 626

HAGEN, JOHN M. V. (See Bruce and Hagen).

Hansen, James E. (, Pollock), 453 (See Miller, Hansen, and

HELLERSTEIN, HERMAN K., SHAW, DENMAN, AND SANO, TOYOMI. Dissection of the vectorcardiogram: differential vectorcardiography, 887

HERNANDEZ, F. A. (See Saslaw, Ross, and Hernandez), 580 HINKENS, GEORGE F. (See Sutton, Sutton, Hinkens, Buckingham, and Rondinelli), 67

Hoff, H. E. (See Sekelj, Geddes, and Hoff), 95

HOLT, JOHN. (See Briggs and Holt), 926 HOOVER, M. P., AND MANNING, G. W. The effects of cortisone and ACTH on artificially induced cardiac infarction in the dog, 343

HULL, CATHERINE. (See Jacobson, Lipkis, and Hull), 860

Jackson, Albert, and Slavin, Manuel. "Primary" amyloidosis, 839 Jacobson, George, Lipkis, Maurice L., and Hull, Catherine. The cardiovascular aspects of the Los Angeles County

mass chest x-ray survey, 860

JERVELL, ANTON. Pulseless disease, 780

JONES, T. REID. (See Dimond and Jones), 105

JOOS, HOWARD A. (See Yu, Simpson, Lovejoy, Love and Nico), 230

Joos, Howard A. (See Yu, Simpson, Lovejoy, Joos, and Nye), 330

JUVELIER, BERNARD W. (See Bahn, Sanes, Juvelier, and Urban), 444

JUVENELLE, ANDRE A., LIND, JOHN, AND WEGE-LIUS, CARL. A new method of extracorporeal circulation, 692

K

KAPLAN, ERVIN, PUESTOW, ROBERT C., BAKER, LYLE A., AND KRUGER, SAM. Blood volume in congestive heart failure as determined with iodinated human serum albumin, 824

Kelly, J. Jr., Caccese, A., Ortiz-Mar-quez, J., and Taubman, F. The ef-fects of cigarette smoking on the ballistocardiograms of high school youths,

Kenawy, M. R. (See Barsoum and Kenawy), 297

KENNAMER, REXFORD, AND PRINZMETAL, MY-RON. Depolarization of the ventricle with bundle branch block. Studies on the mechanism of ventricular activity. X, 769

KESSELMAN, RUSSELL H. A new synthesis of some of the physical foundations of clinical electrocardiography, 360

KITAMURA, KAZUO. (See Yamakawa, Shionoya, Kitamura, Nagai, Yamamoto, and Ohta), 424

KORNBLUTH, A. W. (See Elek, Allenstein, Kornbluth, Griffith, and Levinson), 477

C

KORY, Ross C. (See Roehm, Kory, Mabe, Townes, and Meneely), 204

KRUGER, SAM. (See Kaplan, Puestow, Baker, and Kruger), 824

LAMBERT, JOSEPH. Value of additional thoracic and abdominal unipolar leads for diagnosis of the location and extension of myocardial infarctions, 40

LANDALE, DONALD G. (See Schlappi and Landale), 432

LEARNER, NORMAN. (See Shuman, Learner, and Doane), 737

LEHMUS, HAROLD J., SUNDQUIST, ALFRED B., AND GIDDINGS, LANE W. Coronary Coronary thrombosis with myocardial infarction secondary to nonpenetrating injury of the chest wall, 470

LEVINSON, DAVID C. (See Elek, Allenstein, Griffith, Cosby, and Levinson), 369 (See Elek, Allenstein, Kornbluth, Griffith, and Levinson), 477

LIKOFF, WILLIAM, GECKELER, GEORGE D., AND, GREGORY, JOHN E. Functional mitral stenosis produced by an intra-atrial tumor, 619

Lind, John. (See Juvenelle, Lind, and Wegelius), 692

LIPKIS, MAURICE L. (See Jacobson, Lipkis, and Hull), 860

LISTER, MARGARET L. (See van Lingen, Gear, Whidborne, and Lister), 560

LIVESAY, W. R., MOYER, JOHN H., AND CHAP-MAN, DON W. The cardiovascular and renal hemodynamic effects of Aramine, 745

Löffler, W., Essellier, A. F., and Forster, G. Acetyl-digitoxin, 898

Losner, Samuel. Ballistoscope recording with the aid of an asymmetrical shutter, 34

—. (See Volk and Losner), 658 LOVEJOY, FRANK W., JR. (See Yu, Simpson, Lovejoy, Joos, and Nye), 330

LOWENSTEIN, FRANK W. Some epidemiological aspects of blood pressure and its relationship to diet and constitution with particular consideration of the Chinese, 874

MABE, ROBERT E. (See Roehm, Kory, Mabe, Townes, and Meneely), 204

McKim, J. S., and Wiglesworth, F. W. Absence of the left pulmonary artery, 845 MALMSTRÖM, GUNNAR. (See Björk, Malmström, and Uggla), 635

MANN, RICHARD H., AND BURCHELL, HOWARD B. The significance of T-wave inversion in sinus beats following ventricular extrasystoles, 504

MANNING, G. W. (See Hoover and Manning), 343

MASTER, ARTHUR M. The etiology of cardiac enlargement in coronary occlusion, hypertension, and coronary artery disease, 321

Mathers, James A. L. (See Nickerson and Mathers), 1

MENEELY, GEORGE R. (See Roehm, Kory,

Mabe, Townes, and Meneely), 204
GEORGE, HANSEN, JAMES E., AND
POLLOCK, BYRON E. Staphylococcus MILLER,

endocarditis, 453

Moros, Gustavo. (See Neri, Villagordoa, Moros, and Dorbecker), 818

Morris, Glenn M., and Franklin, R. B. Ventricular tachycardia due to idiopathic pericarditis controlled by simultaneous intravenous procaine amide and quinidine, 919

Мотти, Тн. Artificial reduction of the heart

effort, 270
MOYER, JOHN H., AND SNYDER, HARVEY B.
The cerebral hemodynamic response to the xanthine compound, Parephyllin (diethyl-aminoethyl theophylline hydrochloride), 912

(See Livesay, Moyer, and Chapman),

745

MUSTAKALLIO, KIMMO K., AND SARAJAS, H. S. Samuli. Some aspects of scleroderma heart disease, 437

N

NADAS, ALEXANDER S. (See Reinhold and Nadas), 405

(See Yamakawa, Shionoya, NAGAI, TOICHI. Nagai, Yamamoto, and Kitamura, Ohta), 424

NERI, RAFAEL JOSÉ, VILLAGORDOA, GUIL-LERMO, MOROS, GUSTAVO, AND DOR-BECKER, NARNO. Pulmonary circulation time, elbow-left ventricle and elbow-right ventricle circulation times, obtained by means of fluorodensog

raphy with radiopaque substance, 818 Nickerson, John L., and Mathers, James A. L. A study of the physical properties of the ballistocardiograph, 1

NYE, ROBERT E., JR. (See Yu, Simpson, Lovejoy, Joos, and Nye), 330

OHTA, SATOSHI. (See Yamakawa, Shionoya, Kitamura, Nagai, Yamamoto, and Ohta), 424

OLIVER, M. F., AND BOYD, G. S. The effect of estrogens on the plasma lipids in coronary artery disease, 348

(See ORTIZ-MARQUEZ, Kelly, Caccese, Ortiz-Marquez, and Taubman), 30

PEDERSEN, ASGER, AND THERKELSEN, F. Cor triatriatum: a rare malformation of the heart, probably amenable to surgery, 676

PEÑALOZA, DANTE. (See Tranchesi, Carral, Amorim, and Peñaloza), 664

PINES, IGNACY. The influence of khellin (Visammin) upon the electrocardiogram, 487

POLLOCK, BYRON E. (See Miller, Hansen, and Pollock), 453

POWELL, GEORGE M. (See Smyth and Powell), 218

PRAKASH, RAVI. The heart of the rat with special reference to the conducting system, 241

PRESCOTT, E. J. (See Weisman, Weisman, and Prescott), 84

PRINZMETAL, MYRON. (See Kennamer and Prinzmetal), 769

PUECH, PAUL, ESCLAVISSAT, MICHEL, SODI-PALLARES, DEMETRIO, AND CISNEROS, FERNANDO. Normal auricular activation in the dog's heart, 174
PUESTOW, ROBERT C. (See Kaplan, Puestow,

Baker, and Kruger), 824

RAHMAN, S. A., ABHYANKAR, R. N., AND ALI, TAHIR. Effect of cooling the anterior chest wall on the T wave of the electrocardiogram, 394

REINHOLD, JOHN D. L., AND NADAS, ALEX-ANDER S. The role of auscultation in the diagnosis of congenital heart disease, 405

RICHARDS, DICKINSON W., AND COHN, ISIDOR. Interventricular septal defect, pulmonary artery aneurysm with throm-bosis, "cyanose tardive," and para-doxical systemic arterial emboliza-

tions, 313 RICHMAN, J. L. Soffe), 161 (See Wolff, Richman, and

RICHMAN, JUSTIN L., AND WOLFF, LOUIS. Left bundle branch block masquerading as right bundle branch block, 383

ROEHM, DAN C., KORY, ROSS C., MABE, ROB-ERT E., TOWNES, ALEXANDER S., AND MENEELY, GEORGE R. Duration of the Q-T interval during the anoxemia test, 204

ROESLER, HUGO, AND DRESSLER, WILLIAM. Transient electrocardiographic changes identical with those of acute myocardial infarction accompanying attacks of angina pectoris, 520

ROMNEY, R. B. (See Burch and Romney), 58 RONDINELLI, RAYMOND. (See Sutton, Sutton, Hinkens, Buckingham, and RondiRoss, Bernard D. (See Saslaw, Ross, and Hernandez), 580

RUSSEK, ALLEN S. (See Russek, Zohman, and Russek), 653

RUSSEK, HENRY I., ZOHMAN, BURTON L., AND RUSSEK, ALLEN S. Risk of thromboembolic complications from cortisone therapy, 653

St

T

Te

U

Ui

U

SANES, SAMUEL. (See Bahn, Sanes, Juvelier, and Urban), 444

Sano, Toyomi. (See Hellerstein, Shaw, and Sano), 887

SARAJAS, H. S. SAMULI. (See Mustakallio and Sarajas), 437

SARRELL, WARREN. (See Dunn Sarrell, and Franklin), 462

SASLAW, MILTON S., ROSS, BERNARD D., AND HERNANDEZ, F. A. Rheumatic heart disease in native-born Floridians and non-Floridians, 580

SCHERF, DAVID, AND GOLBEY, MAURICE. An evaluation of the term "coronary in-

sufficiency," 928
Schlappi, John C., and Landale, Donald G.
Perforation of the infarcted interventricular septum, 432

SCHMITT, OTTO H. (See Simonson, Schmitt, Dahl, Fry, and Bakken), 122

Sekelj, P., Geddes, L. A., and Hoff, H. E. A line-operated direct-coupled electrocardiograph, 95

(See Hellerstein, Shaw, and SHAW, DENMAN. Sano), 887

SHIONOYA, YASUO. (See Yamakawa, Shionoya, Nagai, Yamamoto, and Kitamura, Ohta), 424

SHUMAN, CHARLES R., LEARNER, NORMAN, AND DOANE, JOHN H., JR. The effect of DOANE, JOHN H., JR. The effect of ganglion blocking agents in congestive heart failure, 737

SIMONSON, ERNST, SCHMITT, OTTO H., DAHL, JAMES, FRY, DONALD, AND BAKKEN, EARL E. The theoretical and experimental bases of the frontal plane ventricular gradient and its spatial counterpart, 122

SIMPSON, JOHN H. (See Yu, Simpson, Lovejoy, Joos, and Nye), 330

SLAVIN, MANUEL. (See Jackson and Slavin),

SMYTH, ALBERT G., AND POWELL, GEORGE M. The electrocardiogram in hemorrhagic fever, 218

SNYDER, HARVEY B. (See Moyer and Snyder),

SODI-PALLARES, DEMETRIO. (See Puech, Esclavissat, Sodi-Pallares, and Cisneros),

SOFFE, A. M. (See Wolff, Richman, and Soffe), 161

SUNDQUIST, ALFRED B. (See Lehmus, Sundquist, and Giddings), 470

SUTTON, DON C. (See Swisher, Wedell, Cheng, Sutton, and Sutton), 449

-, SUTTON, GEORGE C., HINKENS, GEORGE F., BUCKINGHAM, WILLIAM B., AND RONDINELLI, RAYMOND. Studies on whole blood and muscle creatine levels: effect of systemic and local anoxia, of cardiac failure and compensation, and of alpha-tocopherol administration, 67
GEORGE C. (See Sutton, Sutton,

GEORGE C. SUTTON, Hinkens, Buckingham, and Rondinelli), 67

nd

ıd

(D

0-

ne

er,

nd

ıd

ıd

O rt nd

ln 11-

r-

t,

C-

d

d

D

of

re

1-

ic

—. (See Swisher, Wedell, Cheng, Sutton, and Sutton), 449
SWISHER, WILLIAM P., WEDELL, HAROLD G., CHENG, JOHN T. O., SUTTON, GEORGE C., AND SUTTON, DON C. Studies of quinidine plasma levels and rate of decline following cessation of quinidine administration, 449

Taubman, F. (See Kelly, Caccese, Ortiz-Marquez, and Taubman), 30
Therkelsen, F. (See Pedersen and Therkel-

sen), 676

THORSON, ÅKE, BIÖRCK, GUNNAR, BJÖRKMAN, GUNNAR, AND WALDENSTRÖM, JAN Malignant carcinoid of the small intestine with metastases to the liver, valvular disease of the right side of the heart (pulmonary stenosis and tricuspid regurgitation without septal defects), peripheral vasomotor symptoms, bronchoconstriction and an unusual type of cyanosis, 795

TOWNES, ALEXANDER S. (See Roehm, Kory, Mabe, Townes, and Meneely), 204

TOWNSEND, CHARLES E. (See Zimdahl and Townsend), 304

TRACE, HERBERT D., BAILEY, CHARLES P., AND WENDKOS, MARTIN H. Tricuspid valve commissurotomy with a oneyear follow-up, 613

Tranchesi, João, Carral, Rafael, Amorim, Ivan de, and Peñaloza, Dante. The clinical diagnosis of bicuspid aortic valve, 664

U

UGGLA, LARS G. (See Björk, Malmström, and Uggla), 635

URBACH, KARL. (See Anderson, Urbach, and Doerner), 15

URBAN, STANLEY T. (See Bahn, Sanes, Juvelier, and Urban), 444

VAN LINGEN, B., GEAR, J. H., WHIDBORNE, JOANNA, AND LISTER, MARGARET L. The ballistocardiogram in aortic stenosis, 560

VAN DER TWEEL, L. H. (See Durrer and van der Tweel), 192

VESELL, HARRY. Congenital heart disease and acute myocardial infarction, 604

VILLAGORDOA, GUILLERMO. (See Neri, Villagordoa, Moros, and Dorbecker), 818
VOLK, BRUNO W., AND LOSNER, SAMUEL. The

erythrocyte sedimentation rate in hemoconcentration associated with acute myocardial infarction, 658

WAKIM, KHALIL G., DENTON, CLARENCE, AND ESSEX, HIRAM E. Certain cardiovascular effects of vasopressin (Pitres-

STRÖM, JAN. (See Thorson, Biörck, Björkman, and Waldenström), 795 WALDENSTRÖM, JAN.

WALTERS, M. B. (See Gillis and Walters), 117 WEDELL, HAROLD G. (See Swisher, Wedell, Cheng, Sutton, and Sutton), 449

Wegelius, Carl. (See Juvenelle, Lind, and Wegelius), 592 Weisman, S. A., Weisman, S. J., and Pres-cott, E. J. Analeptic effects of Aranthol in vasomotor depression induced

by quinidine, 84
WEISMAN, S. J. (See Weisman, Weisman, and Prescott), 84
WELLS, PHILIP V. An improved flarimeter, 102

WENDKOS, MARTIN H. (See Trace, Bailey, and Wendkos), 613

WHIDBORNE, JOANNA. (See van Lingen, Gear, Whidborne, and Lister), 560 WIGLESWORTH, F. W. (See McKim and Wigles-worth), 845

WOLDOW, ASHER, CHAPMAN, JAMES E., AND EVANS, JOHN M. Fat tolerance in subjects with atherosclerosis: heparin effects upon lipemia, lipoproteins, and gamma globulin, 568

WOLFF, L., RICHMAN, J. L., AND SOFFE, A. M.
The effect of heart position and rotation on the cardiac vector: an experi-

mental study, 161 WOLFF, LOUIS. (See Richman and Wolff), 383

Yamakawa, Kunio, Shionoya, Yasuo, Kita-mura, Kazuo, Nagai, Toichi, Yama-moto, Takaya, and Ohta, Satoshi. Intracardiac phonocardiography, 424 Үамамото, Такауа. (See Yamakawa, Shio-

noya, Kitamura, Nagai, Yamamoto, and Ohta), 424

Yu, Paul N. G., Simpson, John H., Lovejoy, Frank W., Jr., Joos, Howard A., and Nye, Robert E., Jr. Studies of pulmonary hypertension. IV, 330

ZIMDAHL, WALTER T., AND TOWNSEND, CHARLES E. Bidirectional ventricular tachycardia due to digitalis poisoning, 304

ZOHMAN, BURTON L. (See Russek, Zohman,

and Russek), 653
BARNETT. Temporary atrioventricu-ZUMOFF, BARNETT. lar conduction disturbance associated with ingestion of veratrum viride, 630

SUBJECT INDEX

Abdominal unipolar leads, thoracic and additional, value of, for diagnosis of location and extension of myocardial infarctions (Lambert), 40

Aberrant conduction in supraventricular extrasystoles eliminated by exercise (Boikan and Gunnar), 626

Acetyl-digitoxin (Löffler et al.), 887

effect of treatment with, on venous pressure, circulation time, and vital capacity in patients with heart failure (Table IV) (Löffler et al.), 904

ACTH, effects of cortisone and, on artificially induced cardiac infarction in dog (Hoover and Manning), 343

Activation, atrial, right (Puech et al.), 177 ar, abnormal, (Puech et al.), 189 auricular, considerations

left (Puech et al.), 181

normal, in dog's heart (Puech et al.), 174 conditions at epicardial surface of left ventricle, investigation of (Durrer and van der Tweel), 193

process, general, study of (Puech et al.), 183 septum, interatrial (Puech et al.), 183 spread of, in left ventricular wall of dog. II

(Durrer and van der Tweel), 192 Albumin, serum, human, iodinated, blood volume in congestive heart failure as determined with (Kaplan et al.), 824

Alpha-tocopherol administration, effect of systemic and local anoxia, of cardiac failure and compensation, and; studies on whole blood and muscle creatine levels (Sutton et al.), 67

Aminophylline, response of Parephyllin as compared to, in various types of patients studied (Table III) (Moyer and Snyder), 916

Amyloidosis, "primary" (Jackson and Slavin),

Anatomy, functional, and "throttle valve" action of pulmonary veins (Burch and Romney), 58

Aneurysm, pulmonary artery, with thrombosis, interventricular septal defect, "cya-nose tardive," and paradoxical sys-temic arterial embolizations (Richards and Cohn), 313

Angina pectoris, transient electrocardiographic changes identical with those of acute myocardial infarction accompanying attacks of (Roesler and Dressler), 520

Angiocardiography and cardiac catheterization, performance of, as combined procedure (Dickerson), 252

Angioquimografia, 474 (B. Rev.)

Announcements, 157, 318, 475, 476, 794

Anomaly, Ebstein's, of tricuspid valve (Gøtzsche and Falholt), 587

Anoxemia test, duration of Q-T interval during (Roehm et al.), 204

Anoxia, systemic and local, effect of cardiac failure and compensation, of alphatocopherol administration, and; studies on whole blood and muscle creatine levels (Sutton et al.), 67

Aorta, presubclavian coarctation of (Bahn et al.), 444

Aortic stenosis, ballistocardiogram in (van

Lingen et al.), 560 valve, bicuspid, clinical diagnosis of (Tranchesi et al.), 664

valvular disease, correlation of clinical and physiologic findings in patients with (Goldberg et al.), 555 dynamics of (Goldberg et al.), 527

cardiovascular and renal hemo-dynamic effects of (Livesay et al.), 745

effect of continuous intravenous infusion of, on creatinine clearance, renal plasma flow, and hematocrit (Table IB) (Livesay et al.), 749

infusion of, on urinary excretion of water and electrolytes (Table II)

(Livesay et al.), 751

renal hemodynamic and blood pressure response to continuous intravenous in-fusion of (Table IA) (Livesay et al.), 748

Aranthol, analeptic effects of, in vasomotor depression induced by quinidine (Weis-

man et al.), 84

embolizations, systemic, paradoxical, interventricular septal defect, pulmonary artery aneurysm with throm-bosis, "cyanose tardive," and (Richards and Cohn), 313

Artery, coronary, disease, effect of estrogens on plasma lipids in (Oliver and Boyd), 348

etiology of cardiac enlargement in coronary occlusion, hypertension, and (Master), 321

pulmonary, left, absence of (McKim and Wiglesworth), 845

thrombosis, simulating pulmonic valve stenosis with patent foramen ovale (Dimond and Jones), 105 Asymmetrical shutter, ballistoscope recording with aid of (Losner), 34

Atherosclerosis, fat tolerance in subjects with:

heparin effects upon lipemia, lipoproteins, and gamma globulin (Woldow et al.), 568

Atrial, left, and pulmonary "capillary" pressure curves during Valsalva's experiment (Björk et al.), 635

Atriovenous junction, gross appearance of (Burch and Romney), 61

Atrioventricular conduction disturbance, tem-porary, associated with ingestion of veratrum viride (Zumoff), 630

Auricular activation, abnormal, considerations on (Puech et al.), 189 normal, in dog's heart (Puech et al.), 174

Auscultation, role of, in diagnosis of congenital heart disease (Reinhold and Nadas),

Balistocardiografia clinica, 320 (B. Rev.)

Ballistic respiratory variation as measured by electromagnetic ballistocardiograph (Anderson et al.), 15

Ballistocardiogram, 319 (B. Rev.)

in aortic stenosis (van Lingen et al.), 560 Ballistocardiograms of high school youths, effects of cigarette smoking on (Kelly et al.), 30

Ballistocardiograph, electromagnetic, ballistic respiratory variation as measured by (Anderson et al.), 15

study of physical properties of (Nickerson and Mathers), 1

Ballistoscope, description of (Losner), 35 recording with aid of asymmetrical shutter (Losner), 34

Bernheim type, right ventricular stenosis of, in case of septal infarction (Cordeiro), 112

Bicuspid aortic valve, clinical diagnosis of (Tranchesi et al.), 664

Block, bundle branch, depolarization of ventricle with (Kennamer and Prinzmetal), 769

Blocking, ganglion, agents, effect of, in congestive heart failure (Shuman et al.), 737

Blood pressure and pulse rate, behavior of, during experiments; extracorporeal circulation (Juvenelle et al.), 698

in persons 65 and over, 157

levels, mean systolic, comparison of, in several groups of Chinese and Ameri-can students (Table IV) (Lowenstein), 880

response, renal hemodynamic and, to continuous intravenous infusion of Ara-

mine (Table IA) (Livesay et al.), 748 some epidemiologic aspects of, and its relationship to diet and constitution with particular consideration of Chinese (Lowenstein), 874

volume in congestive heart failure as determined with iodinated human serum albumin (Kaplan et al.), 824

whole, and muscle creatine levels, studies on: effect of systemic and local anoxia, of cardiac failure and compensation, and of alpha-tocopherol administration (Sutton et al.), 67

Blutkreislaufes, das Strömungsgesetz des, 634 (B. Rev.)

Book reviews, 154, 319, 474, 634, 793, 935 Bronchoconstriction, malignant carcinoid of small intestine with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tri-cuspid regurgitation without septal defects), peripheral vasomotor symptoms, and unusual type of cyanosis (Thorson et al.), 795

Bundle branch block, depolarization of ventricle with (Kennamer and Prinz-

metal), 769

Bundle Branch Block-Cont'd left (Wolff et al.), 165

masquerading as right bundle branch block (Richman and Wolff), 383

right, incomplete, complicated by right ventricular hypertrophy (Wolff et al.),

uncomplicated (Wolff et al.), 165

Capacity, vital, effect of treatment with acetyldigitoxin on venous pressure, circulation time, and in patients with heart failure (Table IV) (Löffler et al.), 904

y" pressure curves, left atrial and pulmonary, during Valsalva's experi-ment (Björk et al.), 635

Carbon dioxide, effect of Parephyllin (R-3588) on cerebral blood oxygen and (Table II) (Moyer and Snyder), 915

Carcinoid, malignant, of small intestine with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), peripheral vaso-motor symptoms, bronchoconstricmotor symptoms, bronchoconstric-tion, and unusual type of cyanosis (Thorson et al.), 795

Cardiac catheterization, performance of angiocardiography and, as combined procedure (Dickerson), 252

diets, gourmet cooking for, 793 (B. Rev.) enlargement, etiology of, in coronary occlusion, hypertension, and coronary artery disease (Master), 321

failure and compensation, effect of systemic and local anoxia, of alpha-tocopherol administration, and; studies on whole blood and muscle creatine levels (Sutton et al.), 67

infarction, artificially induced, in dog, effects of cortisone and ACTH on (Hoover and Manning), 343

rate, duration of T wave and its relation to,

in healthy adults (Gross), 514 vector, effect of heart position and rotation on: experimental study (Wolff et al.),

Cardiographic technique, 156 (B. Rev.)

Cardiology, primer of, 319 (B. Rev.) Cardiopathies congénitales, traité des, 793 (B. Rev.)

Cardiovascular and renal hemodynamic effects of Aramine (Livesay et al.), 745 aspects of Los Angeles County mass chest

x-ray survey (Jacobson et al.), 860 , certain, of vasopressin (Pitressin) effects, (Wakim et al.), 77

Catheterization, cardiac, performance of angiocardiography and, as combined procedure (Dickerson), 252

Cerebral blood oxygen and carbon dioxide, effect of Parephyllin (R-3588) on (Table II) (Moyer and Snyder), 915

hemodynamic response to xanthine com-pound, Parephyllin (diethyl-aminotheophylline hydrochloride) (Moyer and Snyder), 912

Chest wall, anterior, effect of cooling, on T wave of electrocardiogram (Rahman et al.), 394

coronary thrombosis with myocardial infarction secondary to nonpenetrating injury of (Lehmus et al.), 470

x-ray survey, mass, Los Angeles County, cardiovascular aspects of (Jacobson et al.), 860

Chinese, some epidemiologic aspects of blood pressure and its relationship to diet and constitution with particular reference to (Lowenstein), 874

Cigarette smoking, effects of, on ballistocardio-grams of high school youths (Kelly et al.), 30

Circulation, extracorporeal, new method of (Juvenelle et al.), 692

time, pulmonary, elbow-left ventricle and elbow-right ventricle circulation times, obtained by means of fluorodensography with radiopaque substance (Neri et al.), 818

venous pressure, and vital capacity in patients with heart failure, effect of treatment with acetyl-digitoxin on (Table IV) (Löffler et al.), 904

visceral, 155 (B. Rev.)

Circulatory and ventilatory changes of chronic rheumatic heart disease with mitral stenosis, effect of lanatoside C on (Gray and Gray), 282

dynamics, 474 (B. Rev.)

Coarctation of aorta, presubclavian (Bahn et al.), 444

Commissurotomy, tricuspid valve, with oneyear follow-up (Trace et al.), 613

Compensation, cardiac failure and, effect of systemic and local anoxia, of alphatocopherol administration, and; studies on whole blood and muscle creatine levels (Sutton et al.), 67

Conducting system, heart of rat with special reference to (Prakash), 241

Conduction, aberrant, in supraventricular extrasystoles eliminated by exercise (Boikan and Gunnar), 626

disturbance, atrioventricular, temporary, associated with ingestion of veratrum viride (Zumoff), 630

Congenital heart disease and acute myocardial infarction (Vesell), 604

Congestive heart failure, blood volume in, as determined with iodinated human serum albumin (Kaplan et al.), 824 effect of ganglion blocking agents in (Shuman et al.), 737

Constitution, some epidemiologic aspects of blood pressure and its relationship to diet and, with particular consideration of Chinese (Lowenstein), 874

Cor triatriatum: rare malformation of heart, probably amenable to surgery (Pedersen and Therkelsen), 676

Coronary artery disease, effect of estrogens on plasma lipids in (Oliver and Boyd), 348

"insufficiency," evaluation of term (Scherf

and Golbey), 928 occlusion, acute isolated myocarditis simulating (Gillis and Walters), 117

hypertension, and coronary artery disease, etiology of cardiac enlargement in (Master), 321

thrombosis with myocardial infarction secondary to nonpenetrating injury of chest wall (Lehmus et al.), 470

Cortisone and ACTH, effects of, on artificially induced cardiac infarction in dog (Hoover and Manning), 343

therapy, risk of thromboembolic complications from (Russek et al.), 653

Creatine levels, muscle and whole blood, studies on: effect of systemic and local anoxia, of cardiac failure and compensation, and of alpha-tocopherol administration (Sutton et al.), 67

Creatinine clearance, renal plasma flow, and hematocrit, effect of continuous intravenous infusion of (Table IB) (Livesay

et al.), 749

"Cyanose tardive," interventricular septal defect, pulmonary artery aneurysm with thrombosis, and paradoxical systemic arterial embolizations (Richards and Cohn), 313

Cyanosis, unusual type of, malignant carcinoid of small intestine with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tri-cuspid regurgitation without septal defects), peripheral vasomotor symptoms, bronchoconstriction, and (Thorson et al.), 795

Defibrillation, behavior during fibrillation and; extracorporeal circulation (Juvenelle et al.), 711

ventricular fibrillation and, through unopened chest, extracorporeal circulation in hypothermic dog with (Table I) (Juvenelle et al.), 696

Defibrillations, electrical; extracorporeal circulation (Juvenelle et al.), 718

Diet and constitution, some epidemiologic aspects of blood pressure and its relationship to, with particular considera-tion of Chinese (Lowenstein), 874

Differential vectorcardiography; dissection of vectorcardiogram (Hellerstein et al.),

Digitalis poisoning, bidirectional ventricular tachycardia due to (Zimdahl and Townsend), 304

Dog, effects of cortisone and ACTH on artificially induced cardiac infarction in (Hoover and Manning), 343

spread of activation in left ventricular wall of (Durrer and van der Tweel), 192

Dog's heart, normal auricular activation in (Puech et al.), 174

- Ebstein's anomaly of tricuspid valve (Gøtzsche and Falholt), 587
 - disease, angiocardiographic findings in (Table IV) (Gøtzsche and Falholt), 592 catheterization findings in (Table III)
- (Gøtzsche and Falholt), 590 Effort, heart, artificial reduction of (Mottu), 270
- Electrocardiogram, effect of cooling anterior chest wall on T wave of (Rahman et al.), 394
 - in hemorrhagic fever (Smyth and Powell), 218
 - influence of khellin (Visammin) upon electrocardiogram (Pines), 487
- Electrocardiograms recorded during phase of hemorrhagic fever (Smyth and Powell), 234
 - convalescent stage of hemorrhagic fever (Smyth and Powell), 238
- Electrocardiograph, direct-coupled, line-operated (Sekelj et al.), 95
- Electrocardiographic abnormalities acute phase of hemorrhagic fever, description of 27 cases with (Table I) (Smyth and Powell), 222
 - changes during sensitivity reaction to penicillin (Glotzer), 300
 - transient, identical with those of acute myocardial infarction accompanying attacks of angina pectoris (Roesler and Dressler), 520
- Electrocardiography, clinical, new synthesis of some of physical foundations of (Kesselman), 360 modern, 155 (B. Rev.)
- Elektrokardiogramm bei Dystrophic als Beitrag zur Physikalisch-physiologischen Analyse des Elektrokardiogramms, 154 (B. Rev.)
- Electromagnetic ballistocardiograph, ballistic respiratory variation as measured by (Anderson et al.), 15
- Embolizations, arterial, systemic, paradoxical, interventricular septal defect, pulmonary artery aneurysm with throm-bosis, "cyanose tardive," and (Richards and Cohn), 313
- Endocarditis, staphylococcus (Miller et al.), 453 Erythrocyte sedimentation rate in hemoconcentration associated with acute myocardial infarction (Volk and Losner), 658
- Estrogens, effect of, on plasma lipids in coronary artery disease (Oliver and Boyd),
- Exercise, aberrant conduction in supraventricular extrasystoles eliminated by (Boikan and Gunnar), 626
- Extracorporeal circulation, new method of (Juvenelle et al.), 692

- Extrasystoles, supraventricular, aberrant conduction in, eliminated by exercise (Boikan and Gunnar), 626 ventricular, significance of T-wave inversion
 - in sinus beats following (Mann and Burchell), 504

- Failure, heart, congestive, effect of ganglion blocking agents in (Shuman et al.),
 - effect of treatment with acetyl-digitoxin on venous pressure, circulation time, and vital capacity in patients with (Table IV) (Löffler et al.), 904
- Fat tolerance in subjects with atherosclerosis: heparin effects upon lipemia, lipoproteins, and gamma globulin (Woldow et al.), 568
- Fibrillation and defibrillation, behavior during; extracorporeal circulation (Juvenelle et al.), 711
 - during cooling and rewarming, prevention of; extracorporeal circulation (Juvenelle et al.), 721
- Flarimeter, improved (Wells), 102
- Floridians, native-born, and non-Floridians, rheumatic heart disease in (Saslaw et al.), 580
- Fluorodensography with radiopaque substance, pulmonary circulation time, elbowleft ventricle and elbow-right ventricle circulation times, obtained by means of (Neri et al.), 818
- Fonocardiografia clinica, 320 (B. Rev.
- Frontal plane ventricular gradient and its spatial counterpart, theoretical and experimental bases of (Simonson et al.), 122

- Gamma globulin, heparin effects upon lipemia, lipoproteins, and; fat tolerance in subjects with atherosclerosis (Woldow et al.), 568
- Ganglion blocking agents, effect of, in congestive heart failure (Shuman et al.),
- Gradient, ventricular, frontal plane, and its spatial counterpart, theoretical and experimental bases of (Simonson et al.), 122

H

- Heart beat, 154 (B. Rev.)
 - clinical disorders of, 475 (B. Rev.)
 - disease, congenital, and acute myocardial infarction (Vesell), 604
 - role of auscultation in diagnosis of (Reinhold and Nadas), 405
 - rheumatic, chronic, with mitral stenosis, effect of lanatoside C on circulatory and ventilatory changes of (Gray and Gray), 282
 - in native-born Floridians and non-Floridians (Saslaw et al.), 580
 - scleroderma, some aspects of (Mustakallio and Sarajas), 437

Heart beat-Cont'd

dog's, normal auricular activation in (Puech et al.), 174

effort, artificial reduction of (Mottu), 270 failure, congestive, blood volume in, as determined with iodinated human serum

albumin (Kaplan et al.), 824 effect of ganglion blocking agents in (Shuman et al.), 737

of rat with special reference to conducting system (Prakash), 241

position and rotation, effect of, on cardiac vector: experimental study (Wolff et al.), 161

rare malformation of, probably amenable to surgery; cor triatriatum (Pedersen and Therkelsen), 676

valvular disease of right side of (pulmonary stenosis and tricuspid regurgitation without septal defects), malignant carcinoid of small intestine with metastases to liver, peripheral vasomotor symptoms, bronchoconstriction, and unusual type of cyanosis (Thorson et al.), 795

Hearts, congenitally malformed, autopsy diagnosis of, 793 (B. Rev.)

Hematocrit, effect of continuous intravenous infusion of Aramine on creatinine clearance, renal plasma flow, and (Table IB) (Livesay et al.), 749

Hemoconcentration associated with acute myocardial infarction, erythrocyte sedimentation rate in (Volk and Losner), 658

Hemodynamic effects, cardiovascular and renal, on Aramine (Livesay et al.), 745

response, cerebral, to xanthine compound, Parephyllin (diethyl-aminoethyl theophylline hydrochloride) (Moyer and Snyder), 912

Hemorrhagic fever, description of 27 cases with electrocardiographic abnormalities during acute phase of (Table I) (Smyth and Powell), 222

electrocardiogram in (Smyth and Powell),

electrocardiograms recorded during acute phase of (Smyth and Powell), 234

during convalescent stage of (Smyth and Powell), 238

Heparin effects upon lipemia, lipoproteins, and gamma globulin; fat tolerance in subjects with atherosclerosis (Woldow et al.), 568

Homogeneous torso, image surface of (Frank), 757

Hypertension, coronary occlusion, and coronary artery disease, etiology of cardiac enlargement in (Master), 321

pulmonary, studies of (Yu et al.), 330 Hypertensive diseases: causes and control, 936 (B. Rev.)

Hypertrophy, ventricular, left (Wolff et al.),

right, correlation of spatial vectorcardiogram with (Elek et al.), 369 Hypertrophy—Cont'd incomplete right bundle branch block complicated by (Wolff et al.), 171

Lai

Lea

Lei

Lip

Lip

Lip

Liv

Lo

I

Image surface of homogeneous torso (Frank), 757

Infarction, cardiac, artificially induced, in dog, effects of cortisone and ACTH on (Hoover and Manning), 343

myocardial, acute, accompanying attacks of angina pectoris, transient electrocardiographic changes identical with those of (Roesler and Dressler), 520 associated with acute porphyria (Al-

bright and Brown), 108
congenital heart disease and (Vesell), 604
erythrocyte sedimentation rate in home

erythrocyte sedimentation rate in hemoconcentration associated with (Volk and Losner), 658

prolonged survival following perforation of interventricular septum as result of (Briggs and Holt), 926

secondary to nonpenetrating injury of chest wall, coronary thrombosis with (Lehmus et al.), 470

spatial vectorcardiogram in, typified by prominent R waves in leads aV_R and V_1 (Elek et al.), 477

septal, right ventricular stenosis of Bernheim type in case of (Cordeiro), 112

Infarctions, myocardial, value of additional thoracic and abdominal unipolar leads for diagnosis of location and extension of (Lambert), 40

"Insufficiency, coronary," evaluation of term (Scherf and Golbey), 928

Integrator, electronic area (Simonson et al.),

Interventricular septal defect, pulmonary artery aneurysm with thrombosis, "cyanose tardive," and paradoxical systemic arterial embolizations (Richards and Cohn), 313

septum, infarcted, perforation of (Schlappi and Landale), 432

prolonged survival following perforation of, as result of myocardial infarction (Briggs and Holt), 926

Intestine, small, malignant carcinoid of, with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), peripheral vasomotor symptoms, bronchoconstriction, and unusual type of cyanosis (Thorson et al.), 795

Intracardiae phonocardiography (Yamakawa et al.), 424

K

"Khellin, soluble,—Nokhel," spasmolytic action of (Barsoum and Kenawy), 297 (Visammin), influence of, upon electrocardiogram (Pines), 487

L

Lanatoside C, effect of, on circulatory and ventilatory changes of chronic rheumatic heart disease with mitral stenosis (Gray and Gray), 282

Leads aV_R and V₁, spatial vectorcardiogram in myocardial infarction typified by prominent R waves in (Elek et al.),

unipolar, thoracic and abdominal, additional, value of, for diagnosis of location and extension of myocardial infarction (Lambert), 40

Leistungssteigerung: Leistung-Übermüdung-Gesunderhaltung, 935 (B. Rev.)

Lipemia, lipoproteins, and gamma globulin, heparin effects upon; fat tolerance in subjects with atherosclerosis (Woldow et al.), 568

Lipids, plasma, effect of estrogens on, in coronary artery disease (Oliver and Boyd), 348

Lipoproteins, lipemia, and gamma globulin, heparin effects upon; fat tolerance in subjects with atherosclerosis (Woldow et al.), 568

Liver, malignant carcinoid of small intestine with metastases to, valvular disease of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), peripheral vasomotor symptoms, bronchoconstriction, and unusual type of cyanosis (Thorson et al.), 795

Los Angeles County mass chest x-ray survey, cardiovascular aspects of (Jacobson et al.), 860

Lung biopsies, clinicopathologic correlation of, in mitral stenosis (Goyette et al.), 645

M

Medicine, modern concepts in, 155 (B. Rev.)
Metastases to liver, malignant carcinoid of
small intestine with, valvular disease
of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), peripheral vasomotor symptoms, bronchoconstric-

tion, and unusual type of cyanosis (Thorson et al.), 795

Mitral stenosis, clinicopathologic correlation of lung biopsies in (Goyette et al.), 645 effect of lanatoside C on circulatory and ventilatory changes of chronic rheumatic heart disease with (Gray and Gray), 282

functional, produced by intra-atrial tumor (Likoff et al.), 619

summary of clinical and physiological data in 43 patients with (Table I) (Yu et al.), 334

Muscle creatine levels, studies on whole blood and: effect of systemic and local anoxia, of cardiac failure and compensation, and of alpha-tocopherol administration (Sutton et al.), 67 Myocardial infarction, acute, accompanying attacks of angina pectoris, transient electrocardiographic changes identical with those of (Roesler and Dressler), 520

associated with acute porphyria (Albright and Brown), 108

congenital heart disease and (Vesell), 604 erythrocyte sedimentation rate in hemoconcentration associated with (Volk and Losner), 658

prolonged survival following perforation of interventricular septum as result of (Briggs and Holt), 926

secondary to nonpenetrating injury of chest wall, coronary thrombosis with (Lehmus et al.), 470

spatial vectorcardiogram in, typified by prominent R waves in leads aV_R and V_1 (Elek et al.), 477

infarctions, value of additional thoracic and abdominal unipolar leads for diagnosis of location and extension of (Lambert), 40

Myocarditis isolated, acute, simulating coronary occlusion (Gillis and Walters),

Myocardium, atrial, smooth muscle and, distance of overlap of (Burch and Romney), 59

nature of overlap of (Burch and Romney), 61

N

"Nokhel—soluble khellin," spasmolytic action of (Barsoum and Kenawy), 297

0

Occlusion, coronary, acute isolated myocarditis simulating (Gillis and Walters), 117 hypertension, and coronary artery disease, etiology of cardiac enlargement in (Master), 321

P

Parephyllin (diethylaminoethyl theophylline hydrochloride), xanthine compound, cerebral hemodynamic response to (Moyer and Snyder), 912

(R-3588), effect of, on cerebral blood oxygen and carbon dioxide (Table II) (Moyer and Snyder), 915

Patent ductus arteriosus, atypical (Reinhold and Nadas), 419

foramen ovale, pulmonary artery thrombosis simulating pulmonic valve stenosis with (Dimond and Jones), 105

Penicillin, electrocardiographic changes during sensitivity reaction to (Glotzer), 300

Pericarditis, idiopathic, ventricular tachycardia due to, controlled by simultaneous intraveneous procaine amide and quinidine (Morris and Franklin), 919 Peripheral vasomotor symptoms, malignant carcinoid of small intestine with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), bronchoconstriction, and unusual type of cyanosis (Thorson et al.), 795

Phonocardiography, intracardiac (Yamakawa et al.), 424

Pitressin, effects of intravenous administration of (Wakim et al.), 80 on systemic and pulmonic blood pres-

sures (Wakim et al.), 81
Plasma flow, renal creatinine clearance, and hematocrit, effect of continuous intravenous infusion of Aramine on (Table IB) (Livesay et al.), 749

IB) (Livesay et al.), 749 levels, quinidine, and rate of decline following cessation of quinidine administration, studies of (Swisher et al.), 449 lipids, effect of estrogens on, in coronary

artery disease (Öliver and Boyd), 348 Poisoning, digitalis, bidirectional ventricular tachycardia due to (Zimdahl and Townsend), 304

Porphyria, acute, acute myocardial infarction associated with (Albright and Brown), 108

Pressure, blood, some epidemiologic aspects of, and its relationship to diet and constitution with particular consideration of Chinese (Lowenstein), 874 curves, "capillary," left atrial and pulmo-

curves, "capillary," left atrial and pulmonary, during Valsalva's experiment (Björk et al.), 635

Procaine amide and quinidine, intravenous, simultaneous, ventricular tachycardia due to idiopathic pericarditis controlled by (Morris and Franklin), 919

Protractor for location of null point (Simonson et al.), 152

Pulmonary artery aneurysm with thrombosis, interventricular septal defect, "cyanose tardive," and paradoxical systemic arterial embolizations (Richards and Cohn), 313

left, absence of (McKim and Wiglesworth), 845

thrombosis simulating pulmonic valve stenosis with patent foramen ovale (Dimond and Jones), 105

"capillary" pressure curves, left atrial and, during Valsalva's experiment (Björk et al.), 635

hypertension, studies of (Yu et al.), 330 veins, functional anatomy and "throttle valve" action of (Burch and Romney), 58

nature of termination of lumina of, into left atrium (Burch and Romney), 62 nervous tissue in (Burch and Romney), 63

venous connection, total, anomaly of (Bruce and Hagen), 785 Pulse rate, behavior of blood pressure and, dur-

Pulse rate, behavior of blood pressure and, during experiments; extracorporeal circulation (Juvenelle et al.), 698

Pulseless disease (Jervell), 780

0

QRSEs loop, normal (Wolff et al.), 164 Q-T interval, duration of, during anoxemia test (Roehm et al.), 204

T wave and its relation to cardiac cycle and to (Table I) (Gross), 516

Sep

Ser

Shu

Sin

Sm

Spa

Sta

Ste

Sti

Ta

Quinidine, analeptic effects of Aranthol in vasomotor depression induced by (Weisman et al.), 84

plasma levels and rate of decline following cessation of quinidine administration, studies of (Swisher et al.), 449

simultaneous intravenous procaine amide and, ventricular tachycardia due to idiopathic pericarditis controlled by (Morris and Franklin), 919

F

R waves, prominent, in leads aV_R and V₁, spatial vectorcardiogram in myocardial infarction typified by (Elek et al.), 477

Radial sheet modulator and SVEC, application of, to spatial vector ventricular gradient measurement (Simonson et al.),

Radiopaque substance, pulmonary circulation time, elbow-left ventricle and elbowright ventricle circulation times, obtained by means of fluorodensography with (Neri et al.), 818

Rat, heart of, with special reference to conducting system (Prakash), 241

Regurgitation, aortic, predominant lesion: clinical data (Table IB), (Goldberg et al.), 532

physiologic data (Table IIB) (Goldberg et al.), 548 Renal and cardiovascular, hemodynamic effects

Renal and cardiovascular, hemodynamic effects of Aramine (Livesay et al.), 745 Respiratory variation, ballistic, as measured by

Respiratory variation, ballistic, as measured by electromagnetic ballistocardiograph (Anderson et al.), 15

Rheumatic heart disease, chronic, with mitral stenosis, effect of lanatoside C on circulatory and ventilatory changes of (Gray and Gray), 282

in native-born Floridians and non-Floridians (Saslaw et al.), 580

S

Scleroderma heart disease, some aspects of (Mustakallio and Sarajas), 437

Sedimentation rate, erythrocyte, in hemoconcentration associated with acute myocardial infarction (Volk and Losner), 658

Septal defect, atrial (Reinhold and Nadas), 415 interventricular, pulmonary artery aneurysm with thrombosis, "cyanose tardive," and paradoxical systemic arterial embolizations (Richards and Cohn), 313

ventricular, and single ventricle (Reinhold and Nadas), 413

infarction, right ventricular stenosis of Bernheim type in case of (Cordeiro), 112

Septum, interventricular, infarcted, perforation of (Schlappi and Landale), 432

prolonged survival following perforation of, as result of myocardial infarction (Briggs and Holt), 926

Serum albumin, human, iodinated, blood volume in congestive heart failure as determined with (Kaplan et al.), 824 Shutter, asymmetrical, ballistoscope recording

with aid of (Losner), 34

description of (Losner), 35 Sinus beats, significance of T-wave inversion in, following ventricular extrasystoles (Mann and Burchell), 504

Smoking, cigarette, effects of, on ballistocardiograms of high school youths (Kelly et

al.), 30
Spasmolytic action of "soluble khellin—Nokhel" (Barsoum and Kenawy), 297

Spatial counterpart, theoretical and experimental bases of frontal plane ventricular gradient and (Simonson et al.), 122 vectorcardiogram, correlation of, with right

ventricular hypertrophy (Elek et al.),

in myocardial infarction typified by prominent R waves in leads aVR and V1 (Elek et al.), 477

ventricular gradient (Simonson et al.), 134 Staphylococcus endocarditis (Miller et al.), 453 Stenosis, aortic (Reinhold and Nadas), 408

ballistocardiogram in (van Lingen et al.), 560

predominant lesion: clinical data (Table IA) (Goldberg et al.), 528 physiological data (Table IIA) (Goldberg et al.), 536

ed" pulmonary valvular (Reinhold and Nadas), 410 "isolated"

mitral, clinicopathologic correlation of lung biopsies in (Goyette et al.), 645

effect of lanatoside C on circulatory and ventilatory changes of chronic rheumatic heart disease with (Gray and

Gray), 282 functional, produced by intra-atrial tumor (Likoff et al.), 619

pulmonic valve, with patent foramen ovale, pulmonary artery thrombosis simulating (Dimond and Jones), 105

ventricular, right, of Bernheim type in case of septal infarction (Cordeiro), 112 Stromungsgesetz, das, des Blutkreislaufes, 634 (B. Rev.)

T wave, correlation between height and duration of (Gross), 517 duration of, and its relation to cardiac rate

in healthy adults (Gross), 514

inversion, significance of, in sinus beats following ventricular extrasystoles (Mann and Burchell), 504 of electrocardiogram, effect of cooling ante-

rior chest wall on (Rahman et al.), 394 Tachycardia, ventricular, bidirectional, due to digitalis poisoning (Zimdahl and Townsend), 304

Tachycardia—Cont'd

due to idiopathic pericarditis controlled by simultaneous intravenous procaine amide and quinidine (Morris and Franklin), 919 paroxysmal, Wolff-Parkinson-White syn-

drome associated with (Dunn et al.),

Tetralogy of Fallot (Reinhold and Nadas), 416 Thoracic and abdominal unipolar leads, additional value of, for diagnosis of loca-tion and extension of myocardial infarctions (Lambert), 40

Thromboembolic complications from cortisone therapy (Russek et al.), 653

Thrombosis, coronary, with myocardial infarction secondary to nonpenetrating injury of chest wall (Lehmus et al.), 470 pathogeneses and treatment of, 319 (B. Rev.)

pulmonary artery aneurysm with, interven-tricular septal defect, "cyanose tar-dive," and paradoxical systemic arterial embolizations (Richards and Cohn), 313

simulating pulmonic valve stenosis with patent foramen ovale (Dimond and

Jones), 105

"Throttle valve" action, functional anatomy and, of pulmonary veins (Burch and Romney), 58

Torso, homogeneous, image surface of (Frank), 757

Tricuspid valve commissurotomy with oneyear follow-up (Trace et al.), 613

Ebstein's anomaly of (Gøtzsche and Falholt), 587

Tumor, intra-atrial, functional mitral stenosis produced by (Likoff et al.), 619

Unipolar leads, additional thoracic and abdominal, value of, for diagnosis of location and extension of myocardial infarctions (Lambert), 40

Valsalva's experiment, left atrial and pulmo-nary "capillary" pressure curves dur-ing (Björk et al.), 635

Valve, aortic, bicuspid, clinical diagnosis of (Tranchesi et al.), 664

tricuspid, commissurotomy with one-year follow-up (Trace et al.), 613

Ebstein's anomaly of (Gøtzsche and Falholt), 587

Valvular disease, aortic, correlation of clinical and physiologic findings in patients with (Goldberg et al.), 555 dynamics of (Goldberg et al.), 527

of right side of heart (pulmonary stenosis and tricuspid regurgitation without septal defects), malignant carcinoid of small intestine with metastases to liver, peripheral vasomotor symptoms, bronchoconstriction, and unusual type of cyanosis (Thorson et al.), 795

Vasomotor depression induced by quinidine, analeptic effects of Aranthol in (Weisman et al.), 84

symptoms, peripheral, malignant carcinoid of small intestine with metastases to liver, valvular disease of right side of heart (pulmonary stenosis and tri-cuspid regurgitation without septal defects), bronchoconstriction, and unusual type of cyanosis (Thorson et al.),

Vasopressin (Pitressin), certain cardiovascular effects of (Wakim et al.), 77 Vector, cardiac, effect of heart position and

rotation on: experimental study (Wolff et al.), 161

Vectorcardiogram, dissection of: differential vectorcardiography (Hellerstein et al.), 887

spatial, correlation of, with right ventricular hypertrophy (Elek et al.), 369

in myocardial infarction typified by prominent R waves in leads aVR and V1 (Elek et al.), 477

Vectorcardiography, differential; dissection of vectorcardiogram (Hellerstein et al.),

Veins, pulmonary, functional anatomy and "throttle valve" action of (Burch and Romney), 58

Venous connection, pulmonary, total, anomaly of (Bruce and Hagen), 785

pressure, circulation time, and vital capacity in patients with heart failure, effect of treatment with acetyl-digitoxin on (Table IV) (Löffler et al.), 904

Ventilatory changes, circulatory and, of chronic rheumatic heart disease with mitral stenosis, effect of lanatoside C on

(Gray and Gray), 282 Ventricle, elbow-left, and elbow-right ventricle circulation times, pulmonary circula-tion time, obtained by means of fluorodensography with radiopaque substance (Neri et al.), 818

left, investigation of activation conditions at epicardial surface of (Durrer and van der Tweel), 193

with bundle branch block, depolarization of (Kennamer and Prinzmetal), 769

Ventricular extrasystoles, significance of Twave inversion in sinus beats following (Mann and Burchell), 504

fibrillation and defibrillation through unopened chest, extracorporeal circula-tion in hypothermic dog with (Table

 (Juvenelle et al.), 696 gradient, frontal plane, and its spatial counterpart, theoretical and experimental bases of (Simonson et al.), 122

measurement, spatial vector, application of radial sheet modulator and SVEC to (Simonson et al.), 144

hypertrophy, right, correlation of spatial vectorcardiogram with (Elek et al.), 369

stenosis, right, of Bernheim type in case of septal infarction (Cordeiro), 112

tachycardia, bidirectional, due to digitalis poisoning (Zimdahl and Townsend),

due to idiopathic pericarditis controlled by simultaneous intravenous procaine amide and quinidine (Morris and Franklin), 919

paroxysmal, Wolff-Parkinson-White syndrome associated with (Dunn et al.), 462

wall, left, of dog, spread of activation in (Durrer and van der Tweel), 192

Veratrum viride, temporary atrioventricular conduction disturbance associated with ingestion of (Zumoff), 630 Visceral circulation, 155 (B. Rev.)

Wolff-Parkinson-White syndrome associated with paroxysmal ventricular tachycardia (Dunn et al.), 462

Xanthine compound, Parephyllin (diethylaminoethyl theophylline hydrochloride), cerebral hemodynamic response to (Moyer and Snyder), 912

X-ray survey, chest, mass, Los Angeles County, cardiovascular aspects of (Jacobson et al.), 860

